






























RADIONUCLIDES



VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE

SEMI-VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE

METALS & PHYSICAL PARAMETERS




WELLNAME=199-D4-34 WELLID=B8985

Well Type=STANDARD Well purpose=GROUNDWATER
 Owner=DOE Contact Compliance=COMPLIANT
 Well Construction Date= 4/3/2000 X_coor= 572804.60 Y_coor= 151590.00 Datum=
 Well Comment= ISRM Well STATUS=
 Total Number of Screen Intervals=1
 Screen#=1 Screen_diam= 6.00 in Top= 25.30 Bottom= 29.87 m Slot_size= 0.00 in
 Screen_material=Stainless Steel

PEST/PCB, HERB, & DIOXINS NO DATA AVAILABLE

GENCHEM & ORGANICS & GENORGANICS



LABORATORY QUALIFIER FLAGS in HEIS are *, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value:L=Value between IDL and CRQL (estimated):T=Tentatively identified compound:
EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit:THIN BARS=Value Below Detection Limit:HATCHED BARS=Value With Data Qualifier Flag